REPORT DOCUMENTATION PAGE

AFRL-SR-AR-TR-02-

0374

1. REPORT DATE *(DD-MM-YYYY)*	2. REPORT TYPE	3. DATES COVERED
15-09-2002	Final Technical	15-03-2001 - 14-09-2002

4. TITLE AND SUBTITLE
(U) Next Generation Diode Lasers for Wavelength Multiplexed Propulsion Sensors

5a. CONTRACT NUMBER

5b. GRANT NUMBER
F49620-01-1-0229

5c. PROGRAM ELEMENT NUMBER
61103D

6. AUTHOR(S)
R. K. Hanson

5d. PROJECT NUMBER
3484

5e. TASK NUMBER
US

5f. WORK UNIT NUMBER

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Department of Mechanical Engineering
Stanford University
Stanford CA 94305-3030

8. PERFORMING ORGANIZATION REPORT NUMBER

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)
AFOSR/NA
801 North Randolph Street
Room 732
Arlington VA 22203-1977

10. SPONSOR/MONITOR'S ACRONYM(S)

11. SPONSOR/MONITOR'S REPORT NUMBER(S)

12. DISTRIBUTION / AVAILABILITY STATEMENT
Approved for public release; distribution is unlimited

13. SUPPLEMENTARY NOTES

14. ABSTRACT

Equipment listed in the report was purchased under the Department of Defense University Research Instrumentation Program (DURIP)

20021126 037

15. SUBJECT TERMS
diode laser spectroscopy

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			Julian M. Tishkoff
Unclassified	Unclassified	Unclassified	UL	4	19b. TELEPHONE NUMBER *(include area code)* (703)696-8478

HTGL

Final Technical Report

Next-Generation Diode Lasers for Wavelength-Multiplexed Propulsion Sensors

AFOSR Grant F49620-01-1-0229

Prepared for

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH

For the Period

March 15, 2001 to September 14, 2002

Submitted by

R. K. Hanson, Principal Investigator
Department of Mechanical Engineering
Stanford University
Bldg 530, Room 112
Stanford, CA 94305-3030

HIGH TEMPERATURE GASDYNAMICS LABORATORY
Mechanical Engineering Department
Stanford University

Next-Generation Diode Lasers for Wavelength-Multiplexed Propulsion Sensors

Ronald Hanson
Department of Mechanical Engineering
Stanford University, Stanford, CA 94305

EQUIPMENT ACQUIRED

Table 1 lists the equipment purchased by the DURIP Grant, Next-Generation Diode Lasers for Wavelength-Multiplexed Propulsion Sensors, AFOSR Grant F49620-01-1-0229 and matching funds from Stanford University Cost Sharing Accounts. This contract initially coverd the period 03/15/01 to 03/14/02, but was extended to end on 09/14/02.

RESEARCH SUMMARY

The application of laser-based diagnostics to reacting flows has enabled extraordinary advances in our understanding of advanced propulsion concepts and engine design during the past two decades. Modern propulsion facilities are now commonly equipped with laser-based test equipment for flow visualization, spray characterization, and planar laser-induced fluorescence measurements of temperature, fuel mixing, and combustion intermediate species.

The development of inexpensive, rugged, solid-state laser sources by the telecommunications industry has led to a new revolution in practical and portable sensors for high-speed reacting flows. Simultaneous multi-parameter measurements using diode laser-based sensors now offer prospects for real-time combustion control. This equipment grant provides equipment to enable research to develop the next generation of diode laser sensors, which we envision will use diode lasers with wavelengths that are outside the telecommunications bands to enable detection of important combustion species such as: CO, NO, and hydrocarbon fuels.

This equipment grant was focused on three areas: novel new quantum cascade lasers operating in the mid-infrared, addition of fuel-measurement channels to an existing wavelength-multiplexed near-infrared diode laser sensor, and novel high-speed wavelength-tuning techniques to enable more robust near-infrared measurements in harsh environments. The equipment list in Table 1 shows the distribution of expenses in the three focus areas.

This new equipment will expand the range of our current studies, as previous experiments in our laboratory were unable to measure propane fuel or NO. Using this equipment, researchers at Stanford will be able to investigate the background spectroscopy needed to develop and apply such sensors to combustion and propulsion flows. We have already chosen scanned- and fixed-wavelength strategies for propane detection and recently completed a proof-of-concept demonstration of a diode laser sensor for propane filling of laboratory combustors (including a pulse detonation engine) using equipment provided by

this grant. The new lasers for NO have arrived and initial spectroscopic and flame demonstration measurements are underway. The new CW Nd:YAG has been used to repetitively and rapidly heat a standard DFB laser for fast wavelength scanning applications.

TABLE 1: Next-Generation Diode Lasers for Wavelength-Multiplexed Propulsion Sensors

Item	*Supplier*	*Cost ($)*
Quantum Cascade Laser Sensor		
Lasers for NO detection near 5.2 μm, plus pulser, housing, and temperature controler	Alpes Laser	34,153
High Modulation Frequency Laser Mount, with TC cooler and collimation optic	PSI Corp	8,660
Multipass cell for sensitive detection of optical absorption	Scienza, Inc	7,048
Multi-Channel Diode Laser Sensor		
Temperature controlled laser mounts for 6 laser sensor	ILX Lightwave	9,156
Current and temperature controller for multi-channel laser sensor	ILX Lightwave	11,638
Diode lasers custom made at 1.68μm to detect propane fuel	Laser Components	10,914
High-Speed Wavelength Tuning		
High-power, CW Nd:YAG for rapid diode laser tuning	Coherent	53,630
High-speed pulsed power supply for rapid modulation of diode lasers	Agilent	6,260
Retrofit pulsed laser	Lambda Physics	26,129
Miscellaneous optics	Thorlabs, Iolon, etc	212
TOTAL		**$167,800**